

```

# baseURI: http://www.prim.osd.mil/ont/HRM_Person
# imports: http://www.prim.osd.mil/ont/HRM_Annotation
# imports: http://www.prim.osd.mil/ont/HRM_Data_Values
# imports: http://www.prim.osd.mil/ont/HRM_Role
# imports: http://www.prim.osd.mil/ont/RPILM_Location

@prefix hrm-person: <http://www.prim.osd.mil/ont/HRM_Person#> .
@prefix hrma:      <http://www.prim.osd.mil/ont/HRM_Annotation#> .
@prefix owl:    <http://www.w3.org/2002/07/owl#> .
@prefix pl:       <http://www.prim.osd.mil/ont/HRM_Core#> .
@prefix rdf:      <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .
@prefix rdfs:     <http://www.w3.org/2000/01/rdf-schema#> .
@prefix turtle:   <http://www.semanticweb.org/owl/owlapi/turtle#> .
.
@prefix untitled-ontology-2:
<http://www.semanticweb.org/571350/ontologies/2014/0/untitled-ontology-2#> .
@prefix xsd:      <http://www.w3.org/2001/XMLSchema#> .

<http://www.prim.osd.mil/ont/HRM_Person>
  rdf:type owl:Ontology ;
  owl:imports <http://www.prim.osd.mil/ont/HRM_Data_Values> ,
<http://www.prim.osd.mil/ont/HRM_Annotation> ,
<http://www.prim.osd.mil/ont/HRM_Role> ,
<http://www.prim.osd.mil/ont/RPILM_Location> .

hrm-person:ActiveDutyPeriod
  rdf:type owl:Class ;
  rdfs:label "Active Duty Period"^^xsd:string ;
  rdfs:subClassOf
    [ rdf:type owl:Restriction ;
      owl:onClass
<http://www.prim.osd.mil/ont/HRM_Role#Performer> ;
      owl:onProperty hrm-
person:isActiveDutyPeriodForMember ;
      owl:qualifiedCardinality
        "1"^^xsd:nonNegativeInteger
    ] ;
  hrma:citation "10 USC 101(d)(1)"^^xsd:string ;
  hrma:definition "An Active Duty Period is a time period in
which a particular Member is obligated for active duty. The term
\"active duty\" means full-time duty in the active military
service of the United States. Such term includes full time
training duty, annual training duty, and attendance, while in the
active military service, at a school designated as a service
school by law or by the Secretary of the military department
concerned. Such term does not include full time National Guard
duty."^^xsd:string .

hrm-person:AlienRegistration
  rdf:type owl:Class ;
  rdfs:label "Alien Registration"^^xsd:string ;

```

```

    rdfs:subClassOf hrm-person:PersonIdentification ;
    hrma:citation "CHRIS206"^^xsd:string ;
    hrma:definition "Alien Registration establishes a non-US
citizen as a Permanent Resident in the US."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:IdentificationType"^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean ;
    owl:equivalentClass
        [ rdf:type owl:Class ;
          owl:intersectionOf ([ rdf:type owl:Restriction ;
                                owl:hasValue "Alien Registration
Card"^^xsd:string ;
                                owl:onProperty hrm-
person:personIdentificationCategory
                                ] [ rdf:type owl:Restriction ;
                                owl:onProperty hrm-
person:identifiesPerson ;
                                owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
                                ])
          ] .

```

```

hrm-person:Beneficiary
    rdf:type owl:Class ;
    rdfs:label "Beneficiary"^^xsd:string ;
    rdfs:subClassOf
<http://www.prim.osd.mil/ont/HRM_Role#RoleHolder> ,
<http://www.prim.osd.mil/ont/HRM_Role#Performer> ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:onProperty
<http://www.prim.osd.mil/ont/HRM_Role#inheritsPropertiesFrom> ;
          owl:someValuesFrom hrm-
person:BeneficiaryRoleConcept
        ] ;
    hrma:definition "Beneficiary is a person designated as the
recipient of funds or other property under a will, trust,
insurance policy, etc."^^xsd:string .

```

```

hrm-person:BeneficiaryRoleConcept
    rdf:type owl:Class ;
    rdfs:label "Beneficiary Role Concept"^^xsd:string ;
    rdfs:subClassOf
<http://www.prim.osd.mil/ont/HRM_Role#RoleConcept> ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:minQualifiedCardinality
            "1"^^xsd:nonNegativeInteger ;
          owl:onClass
<http://www.prim.osd.mil/ont/HRM_Role#Performer> ;
          owl:onProperty

```

```

<http://www.prim.osd.mil/ont/HRM_Role#hasContext>
    ] ;
    hrma:definition "Beneficiary Role Concept establishes the
role under which a designated person receives funds or other
property under a will, trust, insurance policy, etc."^^xsd:string
.

hrm-person:BirthCertificate
    rdf:type owl:Class ;
    rdfs:label "Birth Certificate"^^xsd:string ;
    rdfs:subClassOf hrm-person:PersonIdentification ;
    hrma:definition "Birth Certificate is a vital record that
documents the birth of a child."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:IdentificationType"^^xsd:string ;
    hrma:pIIIndicator "true"^^xsd:boolean ;
    owl:equivalentClass
        [ rdf:type owl:Class ;
          owl:intersectionOf ([ rdf:type owl:Restriction ;
                                owl:hasValue "Birth
Certificate"^^xsd:string ;
                                owl:onProperty hrm-
person:personIdentificationCategory
                                ] [ rdf:type owl:Restriction ;
                                owl:onProperty hrm-
person:identifiesPerson ;
                                owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
                                ])
          ] .

hrm-person:Citizen
    rdf:type owl:Class ;
    rdfs:label "Citizen"^^xsd:string ;
    rdfs:subClassOf
<http://www.prim.osd.mil/ont/HRM_Role#RoleHolder> ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:onProperty
<http://www.prim.osd.mil/ont/HRM_Role#inheritsPropertiesFrom> ;
          owl:someValuesFrom hrm-
person:CitizenshipRoleConcept
        ] ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:onProperty
<http://www.prim.osd.mil/ont/HRM_Role#inheritsPropertiesFrom> ;
          owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
        ] ;
    hrma:citation "CHRIS474"^^xsd:string ;

```

```

    hrma:definition "A Citizen is a person playing a
Citizenship Role Concept."^^xsd:string .

hrm-person:CitizenshipRoleConcept
    rdf:type owl:Class ;
    rdfs:label "Citizenship Role Concept"^^xsd:string ;
    rdfs:subClassOf
<http://www.prim.osd.mil/ont/HRM_Role#RoleConcept> ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:onClass
<http://www.prim.osd.mil/ont/HRM_Role#NationalGovernment> ;
          owl:onProperty
<http://www.prim.osd.mil/ont/HRM_Role#hasContext> ;
          owl:qualifiedCardinality
              "1"^^xsd:nonNegativeInteger
        ] ;
    hrma:citation "CHRIS474"^^xsd:string ;
    hrma:definition "Citizenship Role Concept establishes a
roleholder's legal civil, political and social rights, within the
context of a particular sovereign nation."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "im:CitizenRole /
im:CitizenRoleType"^^xsd:string .

hrm-person:Dependent
    rdf:type owl:Class ;
    rdfs:label "Dependent"^^xsd:string ;
    rdfs:subClassOf
<http://www.prim.osd.mil/ont/HRM_Role#RoleHolder> ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:onProperty
<http://www.prim.osd.mil/ont/HRM_Role#inheritsPropertiesFrom> ;
          owl:someValuesFrom hrm-
person:DependentRoleConcept
        ] ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:onProperty
<http://www.prim.osd.mil/ont/HRM_Role#inheritsPropertiesFrom> ;
          owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
        ] ;
    hrma:definition "A Dependent is a person who is financially
reliant upon another person, frequently a family
member."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel
"im:PersonDependentAssociationType"^^xsd:string .

```

```

hrm-person:DependentRoleConcept
  rdf:type owl:Class ;
  rdfs:label "Dependent Role Concept"^^xsd:string ;
  rdfs:subClassOf
<http://www.prim.osd.mil/ont/HRM_Role#RoleConcept> ;
  rdfs:subClassOf
    [ rdf:type owl:Restriction ;
      owl:allValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person> ;
      owl:onProperty
<http://www.prim.osd.mil/ont/HRM_Role#hasContext>
    ] ;
  hrma:definition "Dependent Role Concept describes the role
in which a person is financially reliant upon another person,
frequently a family member."^^xsd:string ;
  hrma:neimMappingIndicator
    "Partial"^^xsd:string ;
  hrma:niemLabel "im:Dependent / nc:PersonType"^^xsd:string .

hrm-person:DriversLicense
  rdf:type owl:Class ;
  rdfs:label "DriversLicense"^^xsd:string ;
  rdfs:subClassOf hrm-person:PersonCertification , hrm-
person:PersonIdentification ;
  hrma:citation "CHRIS118"^^xsd:string ;
  hrma:definition "Driver's License is an government-issued
identification documenting person's authorization to operate
certain motor vehicle types."^^xsd:string ;
  hrma:neimMappingIndicator
    "Partial"^^xsd:string ;
  hrma:niemLabel "j:DriverLicense / j:DriverLicenseType /
nc:IdentificationType ; nc:PersonLicenseIdentification;
j:DriverLicenseAssociation /
j:DriverLicenseAssociationType"^^xsd:string ;
  hrma:priIndicator "true"^^xsd:boolean ;
  owl:equivalentClass
    [ rdf:type owl:Class ;
      owl:intersectionOf ([ rdf:type owl:Restriction ;
        owl:hasValue "Drivers
License"^^xsd:string ;
        owl:onProperty hrm-
person:personIdentificationCategory
      ] [ rdf:type owl:Restriction ;
        owl:onProperty hrm-
person:identifiesPerson ;
        owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
      ])
    ] .

hrm-person:EducationCourse

```

```

    rdf:type owl:Class ;
    rdfs:label "Education Course"^^xsd:string ;
    rdfs:subClassOf owl:Thing ;
    hrma:definition "Education Course is a specific course as
defined by an academic institution."^^xsd:string .

hrm-person:Identification
    rdf:type owl:Class ;
    rdfs:label "Identification"^^xsd:string ;
    rdfs:subClassOf owl:Thing ;
    hrma:citation "NEIM Core v3.0"^^xsd:string ;
    hrma:definition "Identification is a representation of an
identity."^^xsd:string ;
    hrma:niemLabel "nc:Identification"^^xsd:string .

hrm-person:MemberBeneficiary
    rdf:type owl:Class ;
    rdfs:label "Member Beneficiary"^^xsd:string ;
    rdfs:subClassOf hrm-person:Beneficiary ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:onProperty
<http://www.prim.osd.mil/ont/HRM_Role#inheritsPropertiesFrom> ;
          owl:someValuesFrom hrm-
person:MemberBeneficiaryRoleConcept
        ] ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:onProperty
<http://www.prim.osd.mil/ont/HRM_Role#inheritsPropertiesFrom> ;
          owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Performer>
        ] ;
    hrma:definition "Member Beneficiary is a person designated
by a Member as the recipient of funds or other property under a
will, trust, insurance policy, etc., especially those provided by
the Member's affiliated Uniformed Service."^^xsd:string .

hrm-person:MemberBeneficiaryRoleConcept
    rdf:type owl:Class ;
    rdfs:label "Member Beneficiary Role Concept"^^xsd:string ;
    rdfs:subClassOf hrm-person:BeneficiaryRoleConcept ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:minQualifiedCardinality
            "1"^^xsd:nonNegativeInteger ;
          owl:onClass
<http://www.prim.osd.mil/ont/HRM_Role#Member> ;
          owl:onProperty
<http://www.prim.osd.mil/ont/HRM_Role#hasContext>
        ] ;
    hrma:definition "Member Beneficiary Role Concept

```

establishes the role under which a person designated by a Member receives funds or other property under a will, trust, insurance policy, etc., especially those provided by the Member's affiliated Uniformed Service."^^xsd:string .

```
hrm-person:MemberDependent
  rdf:type owl:Class ;
  rdfs:comment "The pertinent contexts for the
MemberDependent role are: (A) the spouse; (B) the unremarried
widow; (C) the unremarried widower; or (D) a child who-- (i) has
not attained the age of 21; (ii) has not attained the age of 23,
is enrolled in a full-time course of study at an institution of
higher learning approved by the administering Secretary and is,
or was at the time of the member's or former member's death, in
fact dependent on the member or former member for over one-half
of the child's support; or (iii) is incapable of self-support
because of a mental or physical incapacity that occurs while a
dependent of a member or former member under clause (i) or (ii)
and is, or was at the time of the member's or former member's
death, in fact dependent on the member or former member for over
one-half of the child's support; (E) a parent or parent-in-law
who is, or was at the time of the member's or former member's
death, in fact dependent on him for over one-half of his support
and residing in his household; (F) the unremarried former spouse
of a member or former member who-- (i) on the date of the final
decree of divorce, dissolution, or annulment, had been married to
the member or former member for a period of at least 20 years
during which period the member or former member performed at
least 20 years of service which is creditable in determining that
member's or former member's eligibility for retired or retainer
pay, or equivalent pay, and (ii) does not have medical coverage
under an employer-sponsored health plan."^^xsd:string ;
  rdfs:label "Member Dependent"^^xsd:string ;
  rdfs:subClassOf hrm-person:Dependent ;
  rdfs:subClassOf
    [ rdf:type owl:Restriction ;
      owl:onProperty
<http://www.prim.osd.mil/ont/HRM_Role#inheritsPropertiesFrom> ;
      owl:someValuesFrom hrm-
person:DependentRoleConcept
    ] ;
  rdfs:subClassOf
    [ rdf:type owl:Restriction ;
      owl:onClass
<http://www.prim.osd.mil/ont/HRM_Role#Person> ;
      owl:onProperty
<http://www.prim.osd.mil/ont/HRM_Role#inheritsPropertiesFrom> ;
      owl:qualifiedCardinality
        "1"^^xsd:nonNegativeInteger
    ] ;
  hrma:citation "10 USC 1072(2)"^^xsd:string ;
  hrma:definition "A Member's Dependent is a performer
```

```

playing a Member Dependent Role Concept."^^xsd:string ;
    hrma:neimMappingIndicator
        "None"^^xsd:string .

hrm-person:MemberDependentRoleConcept
    rdf:type owl:Class ;
    rdfs:comment "The pertinent contexts for the Member's
Dependent Role Concept are: (A) the spouse; (B) the unremarried
widow; (C) the unremarried widower; or (D) a child who-- (i) has
not attained the age of 21; (ii) has not attained the age of 23,
is enrolled in a full-time course of study at an institution of
higher learning approved by the administering Secretary and is,
or was at the time of the member's or former member's death, in
fact dependent on the member or former member for over one-half
of the child's support; or (iii) is incapable of self-support
because of a mental or physical incapacity that occurs while a
dependent of a member or former member under clause (i) or (ii)
and is, or was at the time of the member's or former member's
death, in fact dependent on the member or former member for over
one-half of the child's support; (E) a parent or parent-in-law
who is, or was at the time of the member's or former member's
death, in fact dependent on him for over one-half of his support
and residing in his household; (F) the unremarried former spouse
of a member or former member who-- (i) on the date of the final
decree of divorce, dissolution, or annulment, had been married to
the member or former member for a period of at least 20 years
during which period the member or former member performed at
least 20 years of service which is creditable in determining that
member's or former member's eligibility for retired or retainer
pay, or equivalent pay, and (ii) does not have medical coverage
under an employer-sponsored health plan."^^xsd:string ;
    rdfs:label "Member Dependent Role Concept"^^xsd:string ;
    rdfs:subClassOf hrm-person:DependentRoleConcept ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:onProperty
<http://www.prim.osd.mil/ont/HRM_Role#hasContext> ;
          owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Member>
        ] ;
    hrma:citation "10 USC 1072(2)"^^xsd:string ;
    hrma:definition "The Member's Dependent Role Concept is a
role with respect to a member or former member of a uniformed
service."^^xsd:string .

hrm-person:MemberHomeOfRecordAddress
    rdf:type owl:Class ;
    rdfs:label "Member Home Of Record Address"^^xsd:string ;
    rdfs:subClassOf
<http://www.prim.osd.mil/ont/RPILM_Location#NonElectronicAddress>
;
    hrma:citation "CHRIS170"^^xsd:string ;

```



```

    hrma:definition "Home of Record Text documents the permanent home location (to include city, county, and state for U.S.; and city and country for non-U.S.) declared by a DoD Military Service member at the time of entry into military service."^^xsd:string .

hrm-person:MemberLostTimePeriod
    rdf:type owl:Class ;
    rdfs:label "Member Lost Time Period"^^xsd:string ;
    rdfs:subClassOf owl:Thing ;
    hrma:citation "CHRIS180"^^xsd:string ;
    hrma:definition "A Member Lost Time Period is a period of time that is not creditable in calculating a DoD Military Service member's creditable service."^^xsd:string .

hrm-person:MemberMilitaryOccupation
    rdf:type owl:Class ;
    rdfs:label "Member Military Occupation"^^xsd:string ;
    rdfs:subClassOf hrm-person:PersonOccupation ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:onProperty hrm-person:hasAssociatedPerson ;
          owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
        ] ;
    hrma:citation "CHRIS242"^^xsd:string ;
    hrma:definition "Member Military Occupation is a DoD Military Service-specific skill with which a Member (or accession applicant) is associated."^^xsd:string .

hrm-person:MemberUniformedServiceCareer
    rdf:type owl:Class ;
    rdfs:label "Member Uniformed Service Career"^^xsd:string ;
    rdfs:subClassOf owl:Thing ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:onClass
<http://www.prim.osd.mil/ont/HRM_Role#Member> ;
          owl:onProperty hrm-person:hasAssociatedPerson ;
          owl:qualifiedCardinality
            "1"^^xsd:nonNegativeInteger
        ] ;
    hrma:definition "Member Uniformed Service Career is the overarching construct of a Member's affiliation with one or more Uniformed Services, and encompassing all of a Member's active duty periods."^^xsd:string .

hrm-person:Passport
    rdf:type owl:Class ;
    rdfs:label "Passport"^^xsd:string ;
    rdfs:subClassOf hrm-person:PersonIdentification ;
    hrma:citation "NIEM Core v3.0"^^xsd:string ;

```

```

    hrma:definition "Passport is a government-issued document
that authenticates the identity and citizenship of a
person."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:PassportType"^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean ;
    owl:equivalentClass
        [ rdf:type owl:Class ;
          owl:intersectionOf ([ rdf:type owl:Restriction ;
                                owl:hasValue "Passport"^^xsd:string ;
                                owl:onProperty hrm-
person:personIdentificationCategory
                                ] [ rdf:type owl:Restriction ;
                                owl:onProperty hrm-
person:identifiesPerson ;
                                owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
                                ])
          ] .

```

```

hrm-person:PersonAddress
    rdf:type owl:Class ;
    rdfs:label "Person Address"^^xsd:string ;
    rdfs:subClassOf
<http://www.prim.osd.mil/ont/RPILM_Location#NonElectronicAddress>
;
    hrma:definition "A location associated with a
person."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "scr:PersonAddressAssociation /
scr:PersonAddressAssociationType"^^xsd:string ;
    owl:equivalentClass
        [ rdf:type owl:Restriction ;
          owl:minQualifiedCardinality
            "1"^^xsd:nonNegativeInteger ;
          owl:onClass
<http://www.prim.osd.mil/ont/HRM_Role#Person> ;
          owl:onProperty hrm-person:isPersonAddressOf
          ] .

```

```

hrm-person:PersonCertification
    rdf:type owl:Class ;
    rdfs:label "Person Certification"^^xsd:string ;
    rdfs:subClassOf owl:Thing ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:onProperty hrm-person:hasAssociatedPerson ;
          owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
          ] ;

```

hrma:definition "Person Certification associates a person with some formal certification, typically a Professional Board Certification, that authoritatively endorses a skill or accomplishment."^^xsd:string .

hrm-person:PersonEducation
rdf:type owl:Class ;
rdfs:label "Person Education"^^xsd:string ;
rdfs:subClassOf owl:Thing ;
rdfs:subClassOf
[rdf:type owl:Restriction ;
owl:onProperty hrm-person:hasAssociatedPerson ;
owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
] ;

hrma:definition "Person Education is an association between a person and some formal course of education received through academic institutions."^^xsd:string .

hrm-person:PersonForeignLanguageSkill
rdf:type owl:Class ;
rdfs:label "Person Foreign Language Skill"^^xsd:string ;
rdfs:subClassOf owl:Thing ;
rdfs:subClassOf
[rdf:type owl:Restriction ;
owl:onProperty hrm-person:hasAssociatedPerson ;
owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
] ;

hrma:citation "CHRIS155"^^xsd:string ;
hrma:definition "Person Foreign Language Skill associates a person with a language, other than English, for which that person may claim an ability to read, speak or listen."^^xsd:string .

hrm-person:PersonGivenName
rdf:type owl:Class ;
rdfs:label "Person Given (First) Name"^^xsd:string ;
rdfs:subClassOf hrm-person:PersonNameComponent ;
hrma:citation "NIEM Core v3.0"^^xsd:string ;
hrma:definition "A first name of a person."^^xsd:string ;
hrma:neimMappingIndicator
"Equivalent"^^xsd:string ;
hrma:niemLabel "nc:PersonGivenName"^^xsd:string ;
hrma:pIIIndicator "true"^^xsd:boolean .

hrm-person:PersonIdentification
rdf:type owl:Class ;
rdfs:label "Person Identification"^^xsd:string ;
rdfs:subClassOf hrm-person:Identification ;
hrma:definition "Person Identification is a representation of a person's identity."^^xsd:string ;
hrma:neimMappingIndicator

```

        "Partial"^^xsd:string ;
    hrma:niemLabel
"nc:IdentityPersonRepresentation"^^xsd:string ;
    owl:equivalentClass
        [ rdf:type owl:Restriction ;
          owl:onProperty hrm-person:identifiesPerson ;
          owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
        ] .

hrm-person:PersonLegalName
    rdf:type owl:Class ;
    rdfs:comment "A person's full legal name need not be
limited to the common First Name--Middle Name--Surname
pattern."^^xsd:string ;
    rdfs:label "Person Legal Name"^^xsd:string ;
    rdfs:subClassOf hrm-person:PersonName ;
    hrma:citation "NIEM Core v3.0"^^xsd:string ,
"CHRIS227"^^xsd:string ;
    hrma:definition "Person Legal Name is an official label
given to a person and that is found on a birth certificate,
passport, marriage license, adoption decree or similar
government-issued document."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:PersonFullName"^^xsd:string ;
    hrma:pIIIndicator "true"^^xsd:boolean ;
    owl:equivalentClass
        [ rdf:type owl:Restriction ;
          owl:hasValue "Legal"^^xsd:string ;
          owl:onProperty hrm-person:personNameCategoryCode
        ] .

hrm-person:PersonLegalResidenceAddress
    rdf:type owl:Class ;
    rdfs:label "Person Legal Residence Address"^^xsd:string ;
    rdfs:subClassOf hrm-person:PersonAddress ;
    hrma:citation "CHRIS176"^^xsd:string ;
    hrma:definition "Person Legal Residence Address is the
complete postal address (to include all aspects of U.S. and non
U.S. postal addresses) at which a person resides for tax
purposes."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:PersonResidenceAssociation /
nc:PersonResidenceAssociationType"^^xsd:string ;
    hrma:pIIIndicator "true"^^xsd:boolean ;
    owl:equivalentClass
        [ rdf:type owl:Restriction ;
          owl:hasValue "Legal"^^xsd:string ;
          owl:onProperty hrm-person:personAddressType
        ] ;

```

```

    owl:equivalentClass
      [ rdf:type owl:Restriction ;
        owl:minQualifiedCardinality
          "1"^^xsd:nonNegativeInteger ;
        owl:onClass
<http://www.prim.osd.mil/ont/HRM_Role#Person> ;
        owl:onProperty hrm-person:isPersonAddressOf
      ] .

hrm-person:PersonMaidenName
  rdf:type owl:Class ;
  rdfs:label "Person Maiden Name"^^xsd:string ;
  rdfs:subClassOf hrm-person:PersonNameComponent ;
  hrma:citation "NIEM Core v3.0"^^xsd:string ;
  hrma:definition "An Person Maiden Name is the name of a
person before being changed by marriage."^^xsd:string ;
  hrma:neimMappingIndicator
    "Equivalent"^^xsd:string ;
  hrma:niemLabel "nc:PersonMaidenName"^^xsd:string ;
  hrma:piiIndicator "true"^^xsd:boolean .

hrm-person:PersonMailingAddress
  rdf:type owl:Class ;
  rdfs:label "Person Mailing Address"^^xsd:string ;
  rdfs:subClassOf hrm-person:PersonAddress ;
  hrma:citation "CHRIS181"^^xsd:string ;
  hrma:definition "Person Mailing Address is the complete
postal address (to include all aspects of U.S. and non U.S.
postal addresses) where a person receives mail from a postal
service."^^xsd:string ;
  hrma:neimMappingIndicator
    "Partial"^^xsd:string ;
  hrma:niemLabel "nc:ContactMailingAddress /
nc:AddressType"^^xsd:string ;
  hrma:piiIndicator "false"^^xsd:boolean ;
  owl:equivalentClass
    [ rdf:type owl:Restriction ;
      owl:hasValue "Mailing"^^xsd:string ;
      owl:onProperty hrm-person:personAddressType
    ] .

hrm-person:PersonMeasurement
  rdf:type owl:Class ;
  rdfs:label "Person Measurement"^^xsd:string ;
  rdfs:subClassOf owl:Thing ;
  hrma:definition "Person Measurement is an association
between a Person and a measurement, typically related to a point
in time (e.g. the person's weight)."^^xsd:string .

hrm-person:PersonMiddleName
  rdf:type owl:Class ;
  rdfs:comment "A person's name may include more than one

```

```

middle name."^^xsd:string ;
    rdfs:label "Person Middle Name"^^xsd:string ;
    rdfs:subClassOf hrm-person:PersonNameComponent ;
    hrma:citation "NIEM Core v3.0"^^xsd:string ;
    hrma:definition "A middle name is a part of a person's name
that is not their given (i.e., first) name or their
surname."^^xsd:string ;
    hrma:neimMappingIndicator
        "Equivalent"^^xsd:string ;
    hrma:niemLabel "nc:PersonMiddleName"^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean .

```

```

hrm-person:PersonName
    rdf:type owl:Class ;
    rdfs:label "Person Name"^^xsd:string ;
    rdfs:subClassOf owl:Thing ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:onProperty hrm-person:isNameOfPerson ;
          owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
        ] ;
    rdfs:subClassOf
        [ rdf:type owl:Restriction ;
          owl:onProperty hrm-person:hasPersonNameComponent
;
          owl:someValuesFrom hrm-person:PersonNameComponent
        ] ;
    hrma:citation "NIEM Core v3.0"^^xsd:string ;
    hrma:definition "A combination of names and/or titles by
which a person is known."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:PersonName /
nc:PersonNameCategory"^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean .

```

```

hrm-person:PersonNameComponent
    rdf:type owl:Class ;
    rdfs:label "Person Name Component"^^xsd:string ;
    rdfs:subClassOf owl:Thing ;
    hrma:definition "Person Name Component is part of a name by
which a person is known, referred to, or addressed. Multiple
name components put in an ordered sequence convey a person's full
name."^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean .

```

```

hrm-person:PersonOccupation
    rdf:type owl:Class ;
    rdfs:label "Person Occupation"^^xsd:string ;
    rdfs:subClassOf owl:Thing ;
    rdfs:subClassOf

```

```

        [ rdf:type owl:Restriction ;
          owl:onProperty hrm-person:hasAssociatedPerson ;
          owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
        ] ;
        hrma:definition "Person Occupation is an association
between a person and some formal type of employment or
skill."^^xsd:string .

hrm-person:PersonResidenceAddress
  rdf:type owl:Class ;
  rdfs:label "Person Residence Address"^^xsd:string ;
  rdfs:subClassOf hrm-person:PersonAddress ;
  hrma:citation "CHRIS284"^^xsd:string ;
  hrma:definition "Person Residence Address is the complete
postal address (to include all aspects of U.S. and non U.S.
postal addresses) at which a person resides."^^xsd:string ;
  hrma:piiIndicator "false"^^xsd:boolean ;
  owl:equivalentClass
    [ rdf:type owl:Restriction ;
      owl:minQualifiedCardinality
        "1"^^xsd:nonNegativeInteger ;
      owl:onClass
<http://www.prim.osd.mil/ont/HRM_Role#Person> ;
      owl:onProperty hrm-person:isPersonAddressOf
    ] ;
  owl:equivalentClass
    [ rdf:type owl:Restriction ;
      owl:hasValue "Residence"^^xsd:string ;
      owl:onProperty hrm-person:personAddressType
    ] .

hrm-person:PersonSurName
  rdf:type owl:Class ;
  rdfs:label "Person Surname (Last Name)"^^xsd:string ;
  rdfs:subClassOf hrm-person:PersonNameComponent ;
  hrma:citation "NIEM Core v3.0"^^xsd:string ;
  hrma:definition "Person SurName is the last name or family
name of a person."^^xsd:string ;
  hrma:neimMappingIndicator
    "Equivalent"^^xsd:string ;
  hrma:niemLabel "nc:PersonSurName"^^xsd:string ;
  hrma:piiIndicator "true"^^xsd:boolean .

hrm-person:PersonTest
  rdf:type owl:Class ;
  rdfs:label "Person Test"^^xsd:string ;
  rdfs:subClassOf owl:Thing ;
  hrma:definition "Person Test is an association between a
person and a documented examination."^^xsd:string .

hrm-person:SelectiveService

```

```

    rdf:type owl:Class ;
    rdfs:label "Selective Service"^^xsd:string ;
    rdfs:subClassOf hrm-person:PersonIdentification ;
    hrma:citation "CHRIS925"^^xsd:string ;
    hrma:definition "Selective Service is an identification
assigned to each registrant who is legally obligated to enroll in
required Military Service."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:IdentificationType /
j:IdentificationCategoryCodeSimpleType, ncic:OFFCodeSimpleType,
scr:DocumentCategoryCodeSimpleType"^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean ;
    owl:equivalentClass
        [ rdf:type owl:Class ;
          owl:intersectionOf ([ rdf:type owl:Restriction ;
                                owl:hasValue "Selective Service
Registration Card"^^xsd:string ;
                                owl:onProperty hrm-
person:personIdentificationCategory
                                ] [ rdf:type owl:Restriction ;
                                owl:onProperty hrm-
person:identifiesPerson ;
                                owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
                                ])
          ] .

```

```

hrm-person:SocialSecurity
    rdf:type owl:Class ;
    rdfs:label "Social Security"^^xsd:string ;
    rdfs:subClassOf hrm-person:PersonIdentification ;
    hrma:citation "CHRIS246"^^xsd:string ;
    hrma:definition "Social Security is an identification
assigned by Social Security Administration (SSA) to identify a
person when reporting wages, paying taxes and collecting
benefits."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:PersonSSNIdentification /
nc:IdentificationType"^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean ;
    owl:equivalentClass
        [ rdf:type owl:Class ;
          owl:intersectionOf ([ rdf:type owl:Restriction ;
                                owl:hasValue "Social Security
Card"^^xsd:string ;
                                owl:onProperty hrm-
person:personIdentificationCategory
                                ] [ rdf:type owl:Restriction ;
                                owl:onProperty hrm-
person:identifiesPerson ;

```



```

                                owl:someValuesFrom
<http://www.prim.osd.mil/ont/HRM_Role#Person>
                                ] )
                                ] .

hrm-person:citizenshipCountry
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:Citizen ;
    rdfs:label "Citizenship Country"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "CHRIS474"^^xsd:string ;
    hrma:definition "Citizenship Country is the sovereign
nation in which a person holds legal civil, political and social
rights."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:PersonCitizenship"^^xsd:string ;
    hrma:priIndicator "false"^^xsd:boolean .

hrm-person:citizenshipOriginReason
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:Citizen ;
    rdfs:label "Citizenship Origin Reason"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Citizenship_Origin_R
eason_Value> ;
    hrma:citation "CHRIS475"^^xsd:string ;
    hrma:definition "Citizenship Origin Reason is describes the
means by which a U.S. citizen established
citizenship."^^xsd:string ;
    hrma:priIndicator "false"^^xsd:boolean .

hrm-person:citizenshipStatus
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:Citizen ;
    rdfs:label "Citizenship_Status"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Citizenship_Status_V
alue> ;
    hrma:citation "CHRIS86"^^xsd:string ;
    hrma:definition "Citizenship Status is the condition or
state of a person's U.S. citizenship or application for U.S.
citizenship."^^xsd:string ;
    hrma:priIndicator "false"^^xsd:boolean .

hrm-person:citizenshipStatusEffectiveDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:Citizen ;
    rdfs:label "Citizenship Status Effective Date"^^xsd:string
;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS476"^^xsd:string ;

```

```

    hrma:definition "Citizenship Status Effective Date is the
calendar date on which a person's citizenship status is set or
changed."^^xsd:string ;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:deathDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Death Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS887"^^xsd:string ;
    hrma:definition "Death Date is the calendar date on which a
person died."^^xsd:string ;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:documentParentOrGuardianSignatureDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain owl:Thing ;
    rdfs:label "Document Parent Or Guardian Signature
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    rdfs:subPropertyOf
<http://www.prim.osd.mil/ont/HRM_Role#documentSignatureDate> ;
    hrma:definition "Document Parent Or Guardian Signature Date
is the date on which a document is signed by the document
subject's parent or guardian."^^xsd:string .

hrm-person:dodIdentificationNumber
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "DoD Identification Number"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "CHRIS114"^^xsd:string ;
    hrma:definition "DoD Identification Number is a unique
identifier assigned to a person who has a direct relationship
with the Department of Defense (DoD)."^^xsd:string ;
    hrma:pIIIndicator "true"^^xsd:boolean ;
    owl:equivalentProperty
        hrm-person:electronicDataInterchange-
PersonIdentifier , hrm-person:edi-pi .

hrm-person:edi-pi
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Electronic Data Interchange - Person
Identifier"^^xsd:string , "EDI-PI"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "CHRIS114"^^xsd:string ;
    hrma:definition "DoD Electronic Data Interchange Person
Identifier (EDI-PI) is a unique identifier assigned to a person
who has a direct relationship with the Department of Defense
(DoD)."^^xsd:string ;

```

```

    hrma:pIIIndicator "true"^^xsd:boolean ;
    owl:equivalentProperty
        hrm-person:dodIdentificationNumber , hrm-
person:electronicDataInterchange-PersonIdentifier .

hrm-person:educationCourseCreditHourEarnedQuantity
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:EducationCourse ;
    rdfs:label "Education Course Credit Hour Earned
Quantity"^^xsd:string ;
    rdfs:range xsd:integer ;
    hrma:definition "Education Course Credit Hour Earned
Quantity is the number of credit hours earned for the completion
of a course provided by an academic institution."^^xsd:string .

hrm-person:educationCourseNameText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:EducationCourse ;
    rdfs:label "Education Course Name Text"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "CHRIS127"^^xsd:string ;
    hrma:definition "Education Course Name Text is the name of
a specific course as defined by an academic
institution."^^xsd:string .

hrm-person:educationCourseSessionStartDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:EducationCourse ;
    rdfs:label "Education Course Session Start
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS128"^^xsd:string ;
    hrma:definition "Education Course Session Start Date is the
calendar date on which a session of a particular education course
begins."^^xsd:string .

hrm-person:educationCourseSessionStopDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:EducationCourse ;
    rdfs:label "Education Course Session Stop Date"^^xsd:string
;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS129"^^xsd:string ;
    hrma:definition "Education Course Session Stop Date is the
calendar date on which a session of a particular education course
ends."^^xsd:string .

hrm-person:electronicDataInterchange-PersonIdentifier
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "EDI-PI"^^xsd:string , "Electronic Data
Interchange - Person Identifier"^^xsd:string ;

```

```

    rdfs:range xsd:string ;
    hrma:citation "CHRIS114"^^xsd:string ;
    hrma:definition "DoD Electronic Data Interchange Person
Identifier (EDI-PI) is a unique identifier assigned to a person
who has a direct relationship with the Department of Defense
(DoD)."^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean ;
    owl:equivalentProperty
        hrm-person:dodIdentificationNumber , hrm-
person:edi-pi .

hrm-person:familyRelationship
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Family Relationship"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Family_Relationship_
Value> ;
    hrma:citation "CHRIS226"^^xsd:string ;
    hrma:definition "Family Relationship establishes the
classes of position that a person may occupy, in relation to
other persons, within a family structure."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:foreignLanguage
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonForeignLanguageSkill ;
    rdfs:label "Foreign Language"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Foreign_Language_Val
ue> ;
    hrma:citation "CHRIS155"^^xsd:string ;
    hrma:definition "Foreign Language is a language, other than
English, for which a person may claim an ability to read, speak
or listen."^^xsd:string .

hrm-person:foreignLanguageCode
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonForeignLanguageSkill ;
    rdfs:label "Foreign Language Code"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Foreign_Language_Cod
e_Value> ;
    hrma:citation "CHRIS155"^^xsd:string ;
    hrma:definition "Foreign Language is a language, other than
English, for which a person may claim an ability to read, speak
or listen."^^xsd:string .

hrm-person:hasActiveDutyPeriod
    rdf:type owl:ObjectProperty ;
    rdfs:domain
<http://www.prim.osd.mil/ont/HRM_Role#Performer> ;

```

```

    rdfs:label "has Active Duty Period"^^xsd:string ;
    rdfs:range hrm-person:ActiveDutyPeriod .

hrm-person:hasAssociatedPerformer
    rdf:type owl:ObjectProperty ;
    rdfs:domain owl:Thing ;
    rdfs:label "has Associated Performer"^^xsd:string ;
    rdfs:range <http://www.prim.osd.mil/ont/HRM_Role#Performer>
.

hrm-person:hasAssociatedPerson
    rdf:type owl:ObjectProperty ;
    rdfs:domain owl:Thing ;
    rdfs:label "has Associated Person"^^xsd:string ;
    rdfs:range <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:subPropertyOf hrm-person:hasAssociatedPerformer .

hrm-person:hasBeneficiary
    rdf:type owl:ObjectProperty ;
    rdfs:domain
<http://www.prim.osd.mil/ont/HRM_Role#Performer> ;
    rdfs:label "has Beneficiary"^^xsd:string ;
    rdfs:range hrm-person:Beneficiary .

hrm-person:hasCitizenship
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "has Citizenship"^^xsd:string ;
    rdfs:range hrm-person:CitizenshipRoleConcept ;
    rdfs:subPropertyOf
<http://www.prim.osd.mil/ont/HRM_Role#playsRole> .

hrm-person:hasEducationCourse
    rdf:type owl:ObjectProperty ;
    rdfs:domain hrm-person:PersonEducation ;
    rdfs:label "has Education Course"^^xsd:string ;
    rdfs:range hrm-person:EducationCourse .

hrm-person:hasFamilyRelationshipWith
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "has Family Relationship With"^^xsd:string ;
    rdfs:range <http://www.prim.osd.mil/ont/HRM_Role#Person> .

hrm-person:hasForeignLanguageSkill
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "has Foreign Language Skill"^^xsd:string ;
    rdfs:range hrm-person:PersonForeignLanguageSkill .

hrm-person:hasIdentification
    rdf:type owl:ObjectProperty ;

```

```

    rdfs:domain owl:Thing ;
    rdfs:label "has Identification"^^xsd:string ;
    rdfs:range hrm-person:Identification .

hrm-person:hasMemberDependent
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Member> ;
    rdfs:label "has Member Dependent"^^xsd:string ;
    rdfs:range hrm-person:MemberDependent .

hrm-person:hasMemberLostTimePeriod
    rdf:type owl:ObjectProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "has Member Lost Time Period"^^xsd:string ;
    rdfs:range hrm-person:MemberLostTimePeriod .

hrm-person:hasMilitaryOccupation
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Member> ;
    rdfs:label "has Military Occupation"^^xsd:string ;
    rdfs:range hrm-person:MemberMilitaryOccupation ;
    rdfs:subPropertyOf hrm-person:hasPersonOccupation .

hrm-person:hasParentOrGuardian
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "has Parent Or Guardian"^^xsd:string ;
    rdfs:range <http://www.prim.osd.mil/ont/HRM_Role#Person> .

hrm-person:hasPersonAddress
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "has Person Address"^^xsd:string ;
    rdfs:range hrm-person:PersonAddress ;
    owl:inverseOf hrm-person:isPersonAddressOf .

hrm-person:hasPersonCertification
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "has Person Certification"^^xsd:string ;
    rdfs:range hrm-person:PersonCertification .

hrm-person:hasPersonEducation
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "has Person Education"^^xsd:string ;
    rdfs:range hrm-person:PersonEducation .

hrm-person:hasPersonIdentification
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "has Person Identification"^^xsd:string ;

```

```

    rdfs:range hrm-person:PersonIdentification ;
    rdfs:subPropertyOf hrm-person:hasIdentification ;
    owl:inverseOf hrm-person:identifiesPerson .

hrm-person:hasPersonMeasurement
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "has Person Measurement"^^xsd:string ;
    rdfs:range hrm-person:PersonMeasurement .

hrm-person:hasPersonName
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "has Person Name"^^xsd:string ;
    rdfs:range hrm-person:PersonName ;
    owl:inverseOf hrm-person:isNameOfPerson .

hrm-person:hasPersonNameComponent
    rdf:type owl:ObjectProperty ;
    rdfs:domain hrm-person:PersonName ;
    rdfs:label "has Person Name Component"^^xsd:string ;
    rdfs:range hrm-person:PersonNameComponent .

hrm-person:hasPersonOccupation
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "has Person Occupation"^^xsd:string ;
    rdfs:range hrm-person:PersonOccupation .

hrm-person:hasPersonTest
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "has Person Test"^^xsd:string ;
    rdfs:range hrm-person:PersonTest .

hrm-person:hasSpouse
    rdf:type owl:ObjectProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "has Spouse"^^xsd:string ;
    rdfs:range <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:subPropertyOf hrm-person:hasFamilyRelationshipWith .

hrm-person:homeOfRecordText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Home Of Record Text"^^xsd:string ;
    rdfs:range xsd:string ;
    rdfs:subPropertyOf
<http://www.prim.osd.mil/ont/RPILM_Location#addressText> ;
    hrma:citation "CHRIS170"^^xsd:string ;
    hrma:definition "Home of Record Text documents, as a single
string of text, the permanent home location (to include

```

city/state for U.S., and city/country for non-U.S.) declared by a DoD Military Service member at the time of entry into military service."^^xsd:string ;

hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:identificationCategory

rdf:type owl:DatatypeProperty ;

rdfs:domain hrm-person:Identification ;

rdfs:label "Identification Category"^^xsd:string ;

rdfs:range xsd:string ;

hrma:citation "NIEM Core v3.0"^^xsd:string ;

hrma:definition "Identification Category denotes a kind of identification."^^xsd:string ;

hrma:neimMappingIndicator

"Partial"^^xsd:string ;

hrma:niemLabel "nc:IdentificationCategory"^^xsd:string .

hrm-person:identificationCategoryDescriptionText

rdf:type owl:DatatypeProperty ;

rdfs:domain hrm-person:Identification ;

rdfs:label "Identification Category Description Text"^^xsd:string ;

rdfs:range xsd:string ;

hrma:citation "NIEM Core v3.0"^^xsd:string ;

hrma:definition "Identification Category Description Text is a description of a kind of identification."^^xsd:string ;

hrma:neimMappingIndicator

"Partial"^^xsd:string ;

hrma:niemLabel

"nc:IdentificationCategoryDescriptionText"^^xsd:string .

hrm-person:identificationEffectiveDate

rdf:type owl:DatatypeProperty ;

rdfs:domain hrm-person:Identification ;

rdfs:label "Identification Effective Date"^^xsd:string ;

rdfs:range xsd:dateTime ;

hrma:citation "NIEM Core v3.0"^^xsd:string ;

hrma:definition "Identification Effective Date is the date on which an identification takes effect."^^xsd:string ;

hrma:neimMappingIndicator

"Partial"^^xsd:string ;

hrma:niemLabel "nc:IdentificationEffectiveDate"^^xsd:string .

hrm-person:identificationExpirationDate

rdf:type owl:DatatypeProperty ;

rdfs:domain hrm-person:Identification ;

rdfs:label "Identification Expiration Date"^^xsd:string ;

rdfs:range xsd:dateTime ;

hrma:citation "NIEM Core v3.0"^^xsd:string ;

hrma:definition "Identification Expiration Date is the date after which an identification is no longer valid."^^xsd:string ;


```

    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel
"nc:IdentificationExpirationDate"^^xsd:string .

hrm-person:identificationHolderNameText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonIdentification ;
    rdfs:label "Identification Holder Name Text"^^xsd:string ;
    rdfs:range xsd:string ;
    rdfs:subPropertyOf hrm-person:personNameText ;
    hrma:definition "Identification Holder Name Text is the
name of a person as it appears upon an identification artifact
(e.g., passport)."^^xsd:string .

hrm-person:identificationIdentifier
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:Identification ;
    rdfs:label "Identification Identifier"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "NIEM Core v3.0"^^xsd:string ;
    hrma:definition "Identification Identifier is an identifier
generated locally within a processing system used to identify
sub-records within an entity of interest record."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:IdentificationID"^^xsd:string .

hrm-person:identificationJurisdiction
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:Identification ;
    rdfs:label "Identification Jurisdiction"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "NIEM Core v3.0"^^xsd:string ;
    hrma:definition "Identification Jurisdiction is an area,
region, or unit where a unique identification is
issued."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:IdentificationJurisdiction"^^xsd:string
.

hrm-person:identificationSource
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:Identification ;
    rdfs:label "Identification Source"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "NIEM Core v3.0"^^xsd:string ;
    hrma:definition "Identification Source is a person,
organization, or locale which issues an
identification."^^xsd:string ;
    hrma:neimMappingIndicator

```

```

        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:IdentificationSourceText"^^xsd:string .

hrm-person:identificationStatus
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:Identification ;
    rdfs:label "Identification Status"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "NIEM Core v3.0"^^xsd:string ;
    hrma:definition "Identification Status describes the status
of an identification"^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:IdentificationStatus"^^xsd:string .

hrm-person:identifiesPerson
    rdf:type owl:ObjectProperty ;
    rdfs:domain hrm-person:PersonIdentification ;
    rdfs:label "identifies Person"^^xsd:string ;
    rdfs:range <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    owl:inverseOf hrm-person:hasPersonIdentification .

hrm-person:immigrantCategoryCode
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:AlienRegistration ;
    rdfs:label "Immigrant Category Code"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Immigrant_Category_C
ode_Value> ;
    hrma:citation "US Citizenship and Immigration Services
Adjudicator's Field Manual - Appendix 23-7"^^xsd:string ;
    hrma:definition "Immigrant Category Code is the code for a
person's Class of Admission under immigration laws."^^xsd:string
;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:isActiveDutyPeriodForMember
    rdf:type owl:ObjectProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "is Active Duty Period For Member"^^xsd:string ;
    rdfs:range <http://www.prim.osd.mil/ont/HRM_Role#Performer>
;
    owl:inverseOf hrm-person:hasActiveDutyPeriod .

hrm-person:isNameOfPerson
    rdf:type owl:ObjectProperty ;
    rdfs:domain hrm-person:PersonName ;
    rdfs:label "is Name Of Person"^^xsd:string ;
    rdfs:range <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    owl:inverseOf hrm-person:hasPersonName .

hrm-person:isPersonAddressOf

```

```

    rdf:type owl:ObjectProperty ;
    rdfs:domain hrm-person:PersonAddress ;
    rdfs:label "is Person Address Of"^^xsd:string ;
    rdfs:range <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    owl:inverseOf hrm-person:hasPersonAddress .

hrm-person:legalResidenceState
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Legal Residence State"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#State_Abbreviation_C
ode> ;
    hrma:citation "CHRIS1211"^^xsd:string ;
    hrma:definition "Legal Residence State is the legal state
of residence/domicile of a person for state income tax
purposes."^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean .

hrm-person:lostTimeStartDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:MemberLostTimePeriod ;
    rdfs:label "Lost Time Start Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS179"^^xsd:string ;
    hrma:definition "Lost Time Start Date is the calendar date
of the first day of a period of time that is not creditable in
calculating a DoD Military Service member's creditable
service."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:lostTimeStopDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:MemberLostTimePeriod ;
    rdfs:label "Lost Time Stop Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS180"^^xsd:string ;
    hrma:definition "Lost Time Stop Date is the calendar date
of the last day of a period of time that is not creditable in
calculating a DoD Military Service member's creditable
service."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:memberActiveDutyObligatedServicePeriodDuration
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Member Active Duty Obligated Service Period
Duration"^^xsd:string ;
    rdfs:range xsd:duration ;
    hrma:citation "CHRIS9"^^xsd:string ;
    hrma:definition "Member Active Duty Obligated Service
Period Duration is the duration of the period of time a Member

```

```

must serve on continuous Active Duty in order to fulfill an
obligation."^^xsd:string ;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:memberActiveDutyPersonnelStrengthGainDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Member Active Duty Personnel Strength Gain
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS7"^^xsd:string ;
    hrma:definition "Member Active Duty Personnel Strength Gain
Date is the first day on which a DoD Military Service member is
counted in the Active Duty personnel strength of a Military
Service."^^xsd:string ;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:memberActiveDutyPersonnelStrengthLossDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "MemberActiveDuty Personnel Strength Loss
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS8"^^xsd:string ;
    hrma:definition "Member Active Duty Personnel Strength Loss
Date is the last day on which a DoD Military Service member is
counted in the Active Duty personnel strength of a Military
Service."^^xsd:string ;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:memberActiveDutyStartDate
    rdf:type owl:DatatypeProperty ;
    rdfs:comment "Adapted from 10 USC 101(d)(1): The term
'active duty' means full-time duty in the active military service
of the United States. Such term includes full-time training duty,
annual training duty, and attendance, while in the active
military service, at a school designated as a service school by
law or by the Secretary of the military department concerned.
Such term does not include full-time National Guard
duty."^^xsd:string ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Member Active Duty Start Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "10 USC 101(d)(1)"^^xsd:string ;
    hrma:definition "Member Active Duty Start Date is the
calendar date on which a member begins a span of full-time duty
in the active military service of the United States."^^xsd:string
;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:memberActiveDutyStopDate
    rdf:type owl:DatatypeProperty ;

```

```
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Member Active Duty Stop Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "10 USC 101(d) (1)"^^xsd:string ;
    hrma:definition "Member Active Duty Stop Date is the
calendar date on which a member ends full-time duty in the active
military service of the United States"^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .
```

```
hrm-person:memberActiveFederalMilitaryServiceBaseDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Member Active Federal Military Service Base
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS916"^^xsd:string ;
    hrma:definition "Member Active Federal Military Service
Base Date is a constructed calendar date identifying when a DoD
Military Service member's creditable active military service
begins."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .
```

```
hrm-person:memberActiveServiceExpirationDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Member Active Service Expiration
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS1047"^^xsd:string ;
    hrma:definition "Member Active Service Expiration Date is
the calendar date on which a DoD Military Service member's active
service is expected to end."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .
```

```
hrm-person:memberDependentDependencyType
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:MemberDependent ;
    rdfs:label "Member Dependent Dependency Type"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Member_Dependent_Dep
endency_Type_Value> ;
    hrma:citation "CHRIS103"^^xsd:string ;
    hrma:definition "Member Dependent Dependency Type is the
classification of a dependent relationship that exists between a
DoD Military Service member and a person."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .
```

```
hrm-person:memberDependentDependencyTypeStartDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:MemberDependent ;
    rdfs:label "Member Dependent Dependency Type Start
Date"^^xsd:string ;
```

```

    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS1179"^^xsd:string ;
    hrma:definition "Member Dependent Dependency Type Start
Date is the calendar date on which a dependent relationship that
exist between a DoD Military Service member and a person
begins."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:memberDependentDependencyTypeStopDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:MemberDependent ;
    rdfs:label "Member Dependent Dependency Type Stop
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS1180"^^xsd:string ;
    hrma:definition "Member Dependent Dependency Type Stop Date
is the calendar date on which a dependent relationship that exist
between a DoD Military Service member and a person
ends."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:memberDependentResidenceAddressText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:MemberDependent ;
    rdfs:label "Member Dependent Residence Address"^^xsd:string
;
    rdfs:range xsd:string ;
    rdfs:subPropertyOf
<http://www.prim.osd.mil/ont/RPILM_Location#addressText> ;
    hrma:citation "CHRIS101"^^xsd:string ;
    hrma:definition "Dependent Residence Address is the
complete postal address (to include all aspects of U.S. and non
U.S. postal addresses) at which a DoD Military Service member's
dependent resides."^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean .

hrm-person:memberMilitaryDepartment
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Member> ;
    rdfs:label "Member Military Department"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "10 USC 101(a)(8)"^^xsd:string ;
    hrma:definition "Member Military Department is he Military
Department (MilDep) of the Armed Forces Branch with which a
Member is affiliated."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:memberMilitaryOccupationClassificationStatus
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:MemberMilitaryOccupation ;
    rdfs:label "Member Military Occupation Classification
Status"^^xsd:string ;

```

```
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Member_Military_Occu
pation_Classification_Status_Value> ;
    hrma:citation "CHRIS244"^^xsd:string ;
    hrma:definition "Member Military Occupation Classification
Status is the state of an affiliation between a Military
Occupation Classification and a DoD Military Service
member."^^xsd:string .
```

```
hrm-person:memberMilitaryServiceObligatedServicePeriodDuration
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Member Active Duty Obligated Service Period
Duration"^^xsd:string ;
    rdfs:range xsd:duration ;
    hrma:citation "CHRIS207"^^xsd:string ;
    hrma:definition "Member Military Service Obligated Service
Period Duration captures the amount of time a DoD Military
Service Member is obligated to spend in Military Service, and is
established or changed when a Member incurs an obligation of
service."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .
```

```
hrm-person:memberNationalGuardObligatedServicePeriodDuration
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Member National Guard Obligated Service Period
Duration"^^xsd:string ;
    rdfs:range xsd:duration ;
    hrma:definition "Member National Guard Obligated Service
Period Duration is the duration of the period of time a Member
must serve in the National Guard in order to fulfill an
obligation."^^xsd:string .
```

```
hrm-person:memberPayGrade
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Member> ;
    rdfs:label "Member Pay Grade"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Member_Pay_Grade_Cod
e> ;
    hrma:citation "CHRIS193"^^xsd:string ;
    hrma:definition "Member Pay Grade is the personnel class
and pay level on which a DoD Military Service member's basic pay
is based."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .
```

```
hrm-person:memberPayGradeEffectiveDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Member> ;
    rdfs:label "Member Pay Grade Effective Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
```

```
    hrma:citation "CHRIS194"^^xsd:string ;
    hrma:definition "Member Pay Grade Effective Date is the
calendar date on which a DoD Military Service member's basic pay
at their pay grade becomes effective."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .
```

```
hrm-person:memberRating
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Member> ;
    rdfs:label "Member Rating"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "10 USC 101(b)(4)"^^xsd:string ;
    hrma:definition "Member Rating means the name (such as
boatswains's mate) prescribed for members in the same rating or
other category, who are in the same grade (such as chief petty
officer or seaman apprentice)."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .
```

```
hrm-person:memberReserveComponentActiveDutyStartDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Member Reserve Component Active Duty Start
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS5"^^xsd:string ;
    hrma:definition "Member Reserve Component Active Duty Start
Date is the calendar date on which a Reserve Component DoD
Military Service member's period of active duty
begins."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .
```

```
hrm-person:memberReserveComponentActiveDutyStopDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Member Reserve Component Active Duty Stop
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS6"^^xsd:string ;
    hrma:definition "Member Reserve Component Active Duty Stop
Date is the calendar date on which a Reserve Component DoD
Military Service member's period of active duty
ends."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .
```

```
hrm-person:memberReserveComponentActiveDutyType
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Member Reserve Component Active Duty
Type"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Reserve_Component_Active_Duty_Type_Value> ;
```



```

    hrma:citation "CHRIS10"^^xsd:string ;
    hrma:definition "Member Reserve Component Active Duty Type
is the classification of an active duty period for which a
Reserve Component DoD Military Service member
performs."^^xsd:string ;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:memberReserveComponentActiveServiceOrderAuthority
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Member Reserve Component Active Service Order
Authority"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "CHRIS1289"^^xsd:string ;
    hrma:definition "Member Reserve Component Active Service
Order Authority is the public law reference under which a Reserve
Component DoD Military Service Member is ordered or called to
active duty (AD) or full-time National Guard Duty
(FTNGD)."^^xsd:string ;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:memberReserveComponentCategory
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Member Reserve Component Category"^^xsd:string
;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Reserve_Component_Ca
tegorY_Value> ;
    hrma:citation "CHRIS976"^^xsd:string ;
    hrma:definition "Reserve Component Category is a type of a
Member's status in the Reserve Component."^^xsd:string .

hrm-person:memberReserveComponentObligatedServicePeriodDuration
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Member Reserve Component Obligated Service
Period Duration"^^xsd:string ;
    rdfs:range xsd:duration ;
    hrma:definition "Member Reserve Component Obligated Service
Period Duration is the duration of the period of time a Member
must serve in a Reserve Component in order to fulfill an
obligation."^^xsd:string ;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:memberUniformedServiceBranchStartDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:MemberUniformedServiceCareer ;
    rdfs:label "Member Uniformed Service Branch Start
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:definition "Member Uniformed Service Branch Start Date

```

is the calendar date on which a DoD Military Service member begins affiliation with a Uniformed Service Branch."^^xsd:string .

```
hrm-person:memberUniformedServiceBranchText
  rdf:type owl:DatatypeProperty ;
  rdfs:domain owl:Thing ;
  rdfs:label "Member Uniformed Service Branch
Text"^^xsd:string ;
  rdfs:range xsd:string ;
  hrma:citation "CHRIS195"^^xsd:string ;
  hrma:definition "Member Uniformed Service Branch is the
subordinate organization within the United States Department of
Defense with which a Member is affiliated."^^xsd:string .
```

```
hrm-person:memberUniformedServiceComponentTypeStartDate
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:ActiveDutyPeriod ;
  rdfs:label "Member Uniformed Service Component Type Start
Date"^^xsd:string ;
  rdfs:range xsd:dateTime ;
  hrma:citation "CHRIS782"^^xsd:string ;
  hrma:definition "Member Uniformed Service Component Type
Start Date is the calendar date on which a DoD Military Service
member's association with a specific category of a Uniformed
Service Branch begins."^^xsd:string .
```

```
hrm-person:memberUniformedServiceRank
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Member> ;
  rdfs:label "Member Uniformed Service Rank"^^xsd:string ;
  rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Uniformed_Member_Ran
k_Value> ;
  hrma:citation "CHRIS198"^^xsd:string ;
  hrma:definition "Member Uniformed Service Rank is the
formal title for a step in the military hierarchy associated with
a DoD Military Service member."^^xsd:string ;
  hrma:pIIIndicator "false"^^xsd:boolean .
```

```
hrm-person:memberUniformedServiceRankDate
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Member> ;
  rdfs:label "Member Uniformed Service Rank Date"^^xsd:string
;
  rdfs:range xsd:dateTime ;
  hrma:citation "CHRIS471"^^xsd:string ;
  hrma:definition "Member Uniformed Service Rank Date (aka
Date Of Rank) is the calendar date on which a DoD Military
Service member is promoted or appointed to a Member Uniformed
Service Rank."^^xsd:string ;
  hrma:pIIIndicator "false"^^xsd:boolean .
```

```

hrm-person:militaryOccupationClassificationCode
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:MemberMilitaryOccupation ;
  rdfs:label "Member Military Occupation
Classification"^^xsd:string ;
  rdfs:range xsd:string ;
  hrma:citation "CHRIS242"^^xsd:string ;
  hrma:definition "Military Occupation Classification Code is
a DoD Military Service-specific skill, expressed as a Service-
specific code. Also referred to as Military Occupation Specialty
or Air Force Specialty."^^xsd:string .

```

```

hrm-person:militaryOccupationClassificationPrimaryIndicator
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:MemberMilitaryOccupation ;
  rdfs:label "Member Military Occupation Classification
Primary Indicator"^^xsd:string ;
  rdfs:range xsd:boolean ;
  hrma:definition "Military Occupation Classification Primary
Indicator indicates whether a Member's Military Occupation
Specialty/Air Force Specialty is considered their primary
specialty."^^xsd:string .

```

```

hrm-person:militaryOccupationClassificationText
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:MemberMilitaryOccupation ;
  rdfs:label "Member Military Occupation
Classification"^^xsd:string ;
  rdfs:range xsd:string ;
  hrma:citation "CHRIS242"^^xsd:string ;
  hrma:definition "Military Occupation Classification Text is
the full-text name of a DoD Military Service-specific skill.
Also referred to as Military Occupation Specialty or Air Force
Specialty."^^xsd:string .

```

```

hrm-person:personAddressType
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:PersonAddress ;
  rdfs:label "Person Address Type"^^xsd:string ;
  rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Person_Address_Type_
Value> ;
  hrma:definition "Person Address Type identifies the kind of
address (e.g., mailing, residence) with which a Person is
associated."^^xsd:string .

```

```

hrm-person:personAlienRegistrationNumber
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:AlienRegistration ;
  rdfs:label "Person Alien Registration Number"^^xsd:string ;
  rdfs:range xsd:string ;

```

```

    rdfs:subPropertyOf hrm-person:identificationIdentifier ;
    hrma:citation "CHRIS206"^^xsd:string ;
    hrma:definition "Person Alien Registration Number is an
identification number affixed to a Permanent Resident
Card."^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean .

hrm-person:personAlternateNameCategory
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonName ;
    rdfs:label "Person Alternate Name Category"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Person_Alternate_Nam
e_Category_Value> ;
    hrma:definition "Person Alternate Name Category describes
the kind of alternate name associated with a person."^^xsd:string
;
    hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:personBirthCityText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Person Birth City Text"^^xsd:string ;
    rdfs:range xsd:string ;
    rdfs:subPropertyOf hrm-person:personBirthLocation ;
    hrma:definition "Person Birth City Text is the name of the
city in which a person was born."^^xsd:string .

hrm-person:personBirthCountryText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Person Birth Country Text"^^xsd:string ;
    rdfs:range xsd:string ;
    rdfs:subPropertyOf hrm-person:personBirthLocation ;
    hrma:citation "CHRIS472"^^xsd:string ;
    hrma:definition "Person Birth Country Text is the name of
the sovereign nation in which a person was born."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:PersonBirthLocation"^^xsd:string ,
"nc:LocationCountry"^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean .

hrm-person:personBirthDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Person Birth Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS217"^^xsd:string ;
    hrma:definition "Person Birth Date is the calendar date on
which a person is born."^^xsd:string ;
    hrma:neimMappingIndicator

```

```

        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:PersonBirthDate"^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean .

hrm-person:personBirthLocation
    rdf:type owl:DatatypeProperty ;
    rdfs:comment "Where more precise data is required, use hrm-
person:birthState and hrm-person:birthCountry."^^xsd:string ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Person Birth Location"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "NIEM Core v3.0"^^xsd:string ;
    hrma:definition "Person Birth Location is a location where
a person was born."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:PersonBirthLocation"^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean .

hrm-person:personBirthStateAbbreviationText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Person Birth State Abbreviation
Text"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#State_Abbreviation_C
ode> ;
    rdfs:subPropertyOf hrm-person:personBirthLocation ;
    hrma:citation "CHRIS473"^^xsd:string ;
    hrma:definition "Person Birth State Abbreviation Text is
the abbreviated designation of the U.S. state or sub-region in
which a person was born."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:PersonBirthLocation"^^xsd:string ,
"nc:LocationState"^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean .

hrm-person:personCertificationEffectiveDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonCertification ;
    rdfs:label "Person Certification Effective
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS582"^^xsd:string ;
    hrma:definition "Person Certification Effective Date is the
calendar date on which a person obtains the subject
certification."^^xsd:string .

hrm-person:personCertificationExpirationDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonCertification ;

```

```

    rdfs:label "Person Certification Effective
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS573"^^xsd:string ;
    hrma:definition "Person Certification Expiration Date is
the calendar date on which a person's certification
expires."^^xsd:string .

hrm-person:personCertificationIdentifier
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonCertification ;
    rdfs:label "Person Certification Identifier"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:definition "Person Certification Identifier is an
identifier that uniquely ties the subject certification to an
individual person."^^xsd:string .

hrm-person:personCertificationInitialEffectiveDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonCertification ;
    rdfs:label "Person Certification Initial Effective
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    rdfs:subPropertyOf hrm-
person:personCertificationEffectiveDate ;
    hrma:definition "Person Certification Initial Effective
Date is the calendar date on which a person first obtained the
subject certification."^^xsd:string .

hrm-person:personCertificationInitialJurisdiction
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonCertification ;
    rdfs:label "Person Certification Initial
Jurisdiction"^^xsd:string ;
    rdfs:range xsd:string ;
    rdfs:subPropertyOf hrm-
person:personCertificationJurisdiction ;
    hrma:definition "Person Certification Initial Jurisdiction
indicates the jurisdiction (e.g. state or country) in which a
person first received the subject certification. Example: a
person's license to practice medicine was first granted by a
particular state."^^xsd:string .

hrm-person:personCertificationJurisdiction
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonCertification ;
    rdfs:label "Person Certification Jurisdiction"^^xsd:string
;
    rdfs:range xsd:string ;
    hrma:definition "Person Certification Jurisdiction
indicates the jurisdiction (e.g. state or country) in which a
person's certification is considered valid. Example: a person's

```

license to practice medicine is limited to a particular state."^^xsd:string .

```
hrm-person:personCertificationLicenseNumber
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:PersonCertification ;
  rdfs:label "Person Certification License
Number"^^xsd:string ;
  rdfs:range xsd:string ;
  rdfs:subPropertyOf hrm-person:personCertificationIdentifier
;
  hrma:definition "Person Certification License Number is the
identifier that uniquely ties a license to its recipient
person."^^xsd:string .
```

```
hrm-person:personCertificationType
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:PersonCertification ;
  rdfs:label "Person Certification Type"^^xsd:string ;
  rdfs:range xsd:string ;
  hrma:citation "CHRIS1168"^^xsd:string ;
  hrma:definition "Person Certification Type is the
classification of a person's board-certified specialty, skill, or
accomplishment."^^xsd:string .
```

```
hrm-person:personDependentQuantity
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Person Dependent Quantity"^^xsd:string ;
  rdfs:range xsd:integer ;
  hrma:definition "Person Dependent Quantity records the
number of persons financially reliant upon the subject
Person."^^xsd:string .
```

```
hrm-person:personDriversLicenseNumber
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:DriversLicense ;
  rdfs:label "Person Driver's License Number"^^xsd:string ;
  rdfs:range xsd:string ;
  rdfs:subPropertyOf hrm-person:identificationIdentifier ;
  hrma:citation "CHRIS118"^^xsd:string ;
  hrma:definition "Driver's License Number is the
identification number on a person's government-issued
authorization to operate certain motor vehicle
types."^^xsd:string .
```

```
hrm-person:personEducationCredentialType
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Person Education Credential Type"^^xsd:string ;
  rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Education_Credential
```

```

_Type_Value> ;
  hrma:citation "CHRIS1000"^^xsd:string ;
  hrma:definition "Person Education Credential Type is the
completed point of learning a person achieves through academic
institutions."^^xsd:string ;
  hrma:neimMappingIndicator
    "Partial"^^xsd:string ;
  hrma:niemLabel "nc:PersonEducationLevelText"^^xsd:string ;
  hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:personEducationDiscipline
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:PersonEducation ;
  rdfs:label "Person Education Discipline"^^xsd:string ;
  rdfs:range xsd:string ;
  hrma:definition "Person Education Discipline is the
academic major or field of study pursued by a person, or around
which the person is organizing education courses."^^xsd:string .

hrm-person:personEducationInstitutionGraduationDate
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:PersonEducation ;
  rdfs:label "Person Education Institution Stop
Date"^^xsd:string ;
  rdfs:range xsd:dateTime ;
  hrma:definition "Person Education Institution Graduation
Date records the calendar date on which a person graduates with a
degree from an academic institution."^^xsd:string .

hrm-person:personEducationInstitutionGraduationIndicator
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:PersonEducation ;
  rdfs:label "Person Education Institution Graduation
Indicator"^^xsd:string ;
  rdfs:range xsd:boolean ;
  hrma:definition "Person Education Institution Graduation
Indicator indicates whether a person completed a full course of
instruction (i.e., graduated) from an academic
institution."^^xsd:string .

hrm-person:personEducationInstitutionLocation
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:PersonEducation ;
  rdfs:label "Person Education Institution
Location"^^xsd:string ;
  rdfs:range xsd:string ;
  hrma:definition "Person Education Institution Location
documents the location of the academic institution from which a
person received a course of instruction."^^xsd:string .

hrm-person:personEducationInstitutionNameText
  rdf:type owl:DatatypeProperty ;

```



```

    rdfs:domain hrm-person:PersonEducation ;
    rdfs:label "Person Education Institution Name
Text"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:definition "Person Education Institution Name Text
documents the academic institution from which a person received
some formal course of education."^^xsd:string .

hrm-person:personEducationInstitutionStartDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonEducation ;
    rdfs:label "Person Education Institution Start
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:definition "Person Education Institution Start Date
records the calendar date on which a person's association with an
academic institution as a student began."^^xsd:string .

hrm-person:personEducationInstitutionStopDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonEducation ;
    rdfs:label "Person Education Institution Stop
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:definition "Person Education Institution Stop Date
records the calendar date on which a person's association with an
academic institution as a student ceased."^^xsd:string .

hrm-person:personEducationInstitutionYearQuantity
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonEducation ;
    rdfs:label "Person Education Institution Year
Quantity"^^xsd:string ;
    rdfs:range xsd:float ;
    hrma:definition "Person Education Institution Year Quantity
is the number of years a person attended an academic
institution."^^xsd:string .

hrm-person:personEducationSemesterCreditsEarnedQuantity
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonEducation ;
    rdfs:label "Person Education Semester Credits Earned
Quantity"^^xsd:string ;
    rdfs:range xsd:integer ;
    hrma:definition "Person Education Semester Credits Earned
Quantity is the total number of credit hours earned by a person
at an academic institution."^^xsd:string .

hrm-person:personEducationYearQuantityText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Person Education Year Quantity

```

```

Text^^xsd:string ;
  rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Education_Year_Quantity_Value> ;
  hrma:citation "CHRIS477"^^xsd:string ;
  hrma:definition "Person Education Year Quantity Text is the textual description of the number of years of learning a person achieves through academic institutions."^^xsd:string ;
  hrma:piiIndicator "false"^^xsd:boolean .

```

```

hrm-person:personEthnicity
  rdf:type owl:DatatypeProperty ;
  rdfs:comment "Not using the NIEM Core definition & values for ethnicity."^^xsd:string , "A person of Mexican, Puerto Rican, Cuban, South or Central American, or other Spanish culture or origin, regardless of race. The term 'Spanish origin' can be used in addition to 'Hispanic or Latino'."^^xsd:string ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Person Ethnicity"^^xsd:string ;
  rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Person_Ethnicity_Value> ;
  hrma:citation "OPM Standard Form 181, rev.2005"^^xsd:string , "CHRIS223"^^xsd:string ;
  hrma:definition "Person Ethnicity is a person's self-identified declaration of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race."^^xsd:string ;
  hrma:piiIndicator "true"^^xsd:boolean .

```

```

hrm-person:personFaithGroupCode
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Person Faith Group Code"^^xsd:string ;
  rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Faith_Group_Code_Value> ;
  hrma:citation "CHRIS225"^^xsd:string ;
  hrma:definition "Faith Group Text is the religious denomination or practice with which a person may self-declare an affiliation, expressed as a code defined by the DoD."^^xsd:string .

```

```

hrm-person:personFaithGroupText
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Person Faith Group Text"^^xsd:string ;
  rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Faith_Group_Value> ;
  hrma:citation "CHRIS225"^^xsd:string ;
  hrma:definition "Faith Group Text is the religious denomination or practice with which a person may self-declare an

```

```

affiliation, expressed by its full name."^^xsd:string .

hrm-person:personForeignLanguageProficiencyLevel
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Person Foreign Language Proficiency
Level"^^xsd:string ;
  rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Foreign_Language_Pro
ficiency_Level_Value> ;
  hrma:citation "CHRIS157"^^xsd:string ;
  hrma:definition "Person Foreign Language Proficiency Level
is the level of proficiencies a person may possess in a foreign
language skill (listening, reading, and/or speaking) as certified
by the Secretary of the Military Department concerned through the
Defense Language Proficiency Test or other test designated by the
Commandant of the Defense Language Institute, Foreign Language
Center."^^xsd:string .

hrm-person:personForeignLanguageProficiencyLevelCode
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Person Foreign Language Proficiency Level
Code"^^xsd:string ;
  rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Foreign_Language_Pro
ficiency_Level_Code_Value> ;
  hrma:citation "CHRIS157"^^xsd:string ;
  hrma:definition "Person Foreign Language Proficiency Level
Code is the level of proficiencies a person may possess in a
foreign language skill (listening, reading, and/or speaking) as
certified by the Secretary of the Military Department concerned
through the Defense Language Proficiency Test or other test
designated by the Commandant of the Defense Language Institute,
Foreign Language Center."^^xsd:string .

hrm-person:personForeignLanguageProficiencySelfDeclaredIndicator
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Person Foreign Language Proficiency Self
Declared Indicator"^^xsd:string ;
  rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Yes_No_Text_Value> ;
  hrma:definition "Person Foreign Language Proficiency Self
Declared Indicator indicates whether a person has self-declared a
proficiency with a language other than English."^^xsd:string .

hrm-person:personFullLegalNameText
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:PersonLegalName ;
  rdfs:label "Person Full Legal Name Text"^^xsd:string ;
  rdfs:range xsd:string ;

```

```

    rdfs:subPropertyOf hrm-person:personFullNameText ;
    hrma:citation "CHRIS227"^^xsd:string ;
    hrma:definition "Person Full Legal Name Text is a person's
legal name, rendered as a single string of
characters."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:PersonFullName"^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean .

hrm-person:personFullNameText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonLegalName ;
    rdfs:label "Person Full Name Text"^^xsd:string ;
    rdfs:range xsd:string ;
    rdfs:subPropertyOf hrm-person:personNameText ;
    hrma:citation "CHRIS227"^^xsd:string ;
    hrma:definition "Person Full Name Text is a person's name
(typically given name, middle name, surname) rendered as a single
string of characters."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:PersonFullName"^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean .

hrm-person:personIdentificationCategory
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonIdentification ;
    rdfs:label "Person Identification Category"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Person_Identificatio
n_Category_Value> ;
    rdfs:subPropertyOf hrm-person:identificationCategory ;
    hrma:definition "Person Identification Category denotes a
kind of identification held by or associated with a particular
person."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:IdentificationCategory"^^xsd:string .

hrm-person:personLegalResidenceAddressText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Legal Residence Address"^^xsd:string ;
    rdfs:range xsd:string ;
    rdfs:subPropertyOf
<http://www.prim.osd.mil/ont/RPILM_Location#addressText> ;
    hrma:citation "CHRIS176"^^xsd:string ;
    hrma:definition "Person Legal Residence Address Text is the
complete postal address (to include all aspects of U.S. and non
U.S. postal addresses) at which a person resides for tax
purposes."^^xsd:string ;

```

```

    hrma:pIIIndicator "true"^^xsd:boolean .

hrm-person:personMailingAddressEffectiveDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Person Mailing Address Effective
Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:citation "CHRIS182"^^xsd:string ;
    hrma:definition "Person Mailing Address Effective Date is
the calendar date designated by a person as the first day a
mailing address is valid."^^xsd:string ;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:personMailingAddressText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Person Mailing Address"^^xsd:string ;
    rdfs:range xsd:string ;
    rdfs:subPropertyOf
<http://www.prim.osd.mil/ont/RPILM_Location#addressText> ;
    hrma:citation "CHRIS181"^^xsd:string ;
    hrma:definition "Person Mailing Address Text is the
complete postal address (to include all aspects of U.S. and non
U.S. postal addresses) where a person receives mail from a postal
service."^^xsd:string ;
    hrma:pIIIndicator "true"^^xsd:boolean .

hrm-person:personMaritalStatus
    rdf:type owl:DatatypeProperty ;
    rdfs:comment "DoD authorized values for marital status do
not precisely align with those of
nc:PersonUnionStatus."^^xsd:string ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Person Marital Status"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Marital_Status_Value
> ;
    hrma:citation "CHRIS478"^^xsd:string ;
    hrma:definition "Person Marital Status is the recognized
standing of a person as related to marriage."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:PersonUnionStatus"^^xsd:string ;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:personMeasurementDate
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonMeasurement ;
    rdfs:label "Person Measurement Date"^^xsd:string ;
    rdfs:range xsd:dateTime ;
    hrma:definition "Person Measurement Date documents the

```

calendar date (and time, if appropriate) at which a person measurement was observed and recorded (e.g., the date a person's weight was taken).^^xsd:string .

```
hrm-person:personNameCategoryCode
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:PersonName ;
  rdfs:label "Person Name Category Code"^^xsd:string ;
  rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Person_Name_Category
_Code_Value> ;
  hrma:citation "NIEM Core v3.0"^^xsd:string ;
  hrma:definition "Person Name Category Code represents a
kind of person name."^^xsd:string ;
  hrma:niemLabel "nc:PersonNameCategoryCode"^^xsd:string ;
  hrma:piiIndicator "false"^^xsd:boolean .
```

```
hrm-person:personNameComponentInitialIndicator
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:PersonNameComponent ;
  rdfs:label "Person Name Component Initial
Indicator"^^xsd:string ;
  rdfs:range xsd:boolean ;
  hrma:citation "NIEM Core v3.0"^^xsd:string ;
  hrma:definition "Person Name Component Initial Indicator is
set to True if the name component represents the first letter or
initials of a persons name; it is set false,
otherwise."^^xsd:string ;
  hrma:niemLabel "nc:personNameInitialIndicator"^^xsd:string
;
  hrma:piiIndicator "false"^^xsd:boolean .
```

```
hrm-person:personNameComponentSequenceIdentifier
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:PersonNameComponent ;
  rdfs:label "Person Name Component Sequence ID"^^xsd:string
;
  rdfs:range xsd:integer ;
  rdfs:subPropertyOf hrm-person:sequenceIdentifier ;
  hrma:citation "NIEM Core v3.0"^^xsd:string ;
  hrma:definition "Person Name Component Sequence ID is a
numeric identifier that explicitly sequences or orders parts of a
person's name."^^xsd:string ;
  hrma:neimMappingIndicator
  "Partial"^^xsd:string ;
  hrma:niemLabel "nc:SequenceID"^^xsd:string .
```

```
hrm-person:personNameComponentText
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:PersonNameComponent ;
  rdfs:label "Person Name Component Text"^^xsd:string ;
  rdfs:range xsd:string ;
```

```

    hrma:citation "NIEM Core v3.0"^^xsd:string ;
    hrma:definition "Person Name Text is the character string
representation of a component of a person's name."^^xsd:string ;
    hrma:niemLabel "nc:PersonNameTextType"^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean .

hrm-person:personNamePrefixText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonName ;
    rdfs:label "Person Birth Prefix"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "NIEM Core v3.0"^^xsd:string ;
    hrma:definition "Person Name Prefix Text is a title or
honorific used by a person. (E.g., 'Dr.')"^^xsd:string ;
    hrma:niemLabel "nc:PersonNamePrefixText"^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:personNameSalutationText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonName ;
    rdfs:label "Person Birth Salutation"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "NIEM Core v3.0"^^xsd:string ;
    hrma:definition "Person Name Salutation Text is a formal
sign or expression of greeting that is appropriate for a
particular person."^^xsd:string ;
    hrma:niemLabel "nc:PersonNameSalutationText"^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:personNameText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain owl:Thing ;
    rdfs:label "Person Name Text"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "CHRIS227"^^xsd:string ;
    hrma:definition "Person Full Name Text is a person's name
(typically given name, middle name, surname) rendered as a single
string of characters."^^xsd:string ;
    hrma:neimMappingIndicator
        "None"^^xsd:string ;
    hrma:piiIndicator "true"^^xsd:boolean .

hrm-person:personNearestRelativeAddressText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Person Nearest Relative Address"^^xsd:string ;
    rdfs:range xsd:string ;
    rdfs:subPropertyOf
<http://www.prim.osd.mil/ont/RPILM_Location#addressText> ;
    hrma:definition "Person Nearest Relative Address Text is
the address of the person designated by a person as their closest
relative."^^xsd:string ;

```

```

    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:personNearestRelativeName
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Person Nearest Relative Name"^^xsd:string ;
  rdfs:range xsd:string ;
  hrma:definition "Person Nearest Relative Name is the name
of the person designated by a person as his or her closest
relative"^^xsd:string ;
  hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:personPassportNumber
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:Passport ;
  rdfs:label "Person Passport Number"^^xsd:string ;
  rdfs:range xsd:string ;
  rdfs:subPropertyOf hrm-person:identificationIdentifier ;
  hrma:definition "Person Passport Number is the unique
identifier for an instance of a government-issued document that
authenticates the identity and citizenship of a
person."^^xsd:string .

hrm-person:personRace
  rdf:type owl:DatatypeProperty ;
  rdfs:comment "Race is used along with Ethnicity to support
equal opportunity management objectives and reporting
requirements. Other uses include ad-hoc tabulations/extracts for
DoD, Congress and other government agencies."^^xsd:string ,
"Person Race is used as a social-political construct designed for
collecting data on broad population groups in the US, and is not
anthropologically or scientifically based."^^xsd:string ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Person Race"^^xsd:string ;
  rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Person_Race_Value> ;
  hrma:citation "CHRIS238"^^xsd:string ;
  hrma:definition "Person Race is a person's self-
identification to the race or races with which he/she most
closely identifies."^^xsd:string ;
  hrma:neimMappingIndicator
    "Partial"^^xsd:string ;
  hrma:niemLabel "nc:PersonRace"^^xsd:string ;
  hrma:pIIIndicator "true"^^xsd:boolean .

hrm-person:personResidenceAddressEffectiveDate
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Person Residence Address Effective
Date"^^xsd:string ;
  rdfs:range xsd:dateTime ;
  hrma:citation "CHRIS285"^^xsd:string ;

```



```
    hrma:definition "Person Residence Address Effective Date is the calendar date designated by a person as the first day a residence address is valid."^^xsd:string ;
    hrma:pIIIndicator "false"^^xsd:boolean .
```

```
hrm-person:personResidenceAddressText
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Person Residence Address"^^xsd:string ;
  rdfs:range xsd:string ;
  rdfs:subPropertyOf
<http://www.prim.osd.mil/ont/RPILM_Location#addressText> ;
  hrma:citation "CHRIS284"^^xsd:string ;
  hrma:definition "Person Residence Address Text is the physical address at which a person resides."^^xsd:string ;
  hrma:pIIIndicator "true"^^xsd:boolean .
```

```
hrm-person:personResidentSinceDate
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:AlienRegistration ;
  rdfs:label "Person Resident Since Date"^^xsd:string ;
  rdfs:range xsd:dateTime ;
  rdfs:subPropertyOf hrm-person:identificationEffectiveDate ;
  hrma:definition "Person Resident Since Date documents the date on which a person achieved Permanent Resident status in the US."^^xsd:string ;
  hrma:pIIIndicator "false"^^xsd:boolean .
```

```
hrm-person:personSelectiveServiceRegistrationNumber
  rdf:type owl:DatatypeProperty ;
  rdfs:domain hrm-person:SelectiveService ;
  rdfs:label "Person Selective Service Registration Number"^^xsd:string ;
  rdfs:range xsd:string ;
  rdfs:subPropertyOf hrm-person:identificationIdentifier ;
  hrma:citation "CHRIS925"^^xsd:string ;
  hrma:definition "Selective Service Registration Number is the numeric value assigned to each registrant who is legally obligated to enroll in required Military Service."^^xsd:string ;
  hrma:pIIIndicator "true"^^xsd:boolean .
```

```
hrm-person:personSex
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Person Sex"^^xsd:string ;
  rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Person_Sex_Value> ;
  hrma:citation "CHRIS229"^^xsd:string ;
  hrma:definition "Person Sex is the set of biological traits that identify a person as male or female."^^xsd:string ;
  hrma:neimMappingIndicator
    "Partial"^^xsd:string ;
```

```

    hrma:niemLabel "nc:PersonSex"^^xsd:string ;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:personSocialSecurityNumber
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:SocialSecurity ;
    rdfs:label "Person Social Security Number"^^xsd:string ;
    rdfs:range xsd:string ;
    rdfs:subPropertyOf hrm-person:identificationIdentifier ;
    hrma:citation "CHRIS246"^^xsd:string ;
    hrma:definition "Person Social Security Number is a unique
number assigned by Social Security Administration (SSA) to
identify a person when reporting wages, paying taxes and
collecting benefits."^^xsd:string ;
    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:PersonSSNIdentification"^^xsd:string ;
    hrma:pIIIndicator "true"^^xsd:boolean .

hrm-person:personSurNamePrefixText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonSurName ;
    rdfs:label "Person Surname Prefix Text"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "NIEM Core v3.0"^^xsd:string ;
    hrma:definition "Person SurName Prefix Text is prefix that
precedes this person's family name. (E.g., 'Van',
'Von'.)"^^xsd:string ;
    hrma:niemLabel "nc:PersonSurNamePrefixText"^^xsd:string ;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:personSurNameSuffixText
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:PersonSurName ;
    rdfs:label "Person SurName Suffix Text"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "NIEM Core v3.0"^^xsd:string ;
    hrma:definition "Person SurName Suffix Text is a term
appended after a person's surname that qualifies the name.
(E.g., 'Jr.', 'III')"^^xsd:string ;
    hrma:niemLabel "nc:PersonNameSuffixText"^^xsd:string ;
    hrma:pIIIndicator "false"^^xsd:boolean .

hrm-person:personTelephoneNumber
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Person Telephone Number"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:citation "CHRIS248"^^xsd:string ;
    hrma:definition "Person Telephone Number is a telephone
number for a telecommunication device, to include country code
and area code, associated with a person."^^xsd:string ;

```

```

    hrma:neimMappingIndicator
        "Partial"^^xsd:string ;
    hrma:niemLabel "nc:TelephoneNumber"^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:personWeight
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Person Weight"^^xsd:string ;
    rdfs:range xsd:float ;
    hrma:citation "CHRIS250"^^xsd:string ;
    hrma:definition "Person Weight is the body mass of a
person."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:placeOfEntryIntoActiveDuty
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Place Of Entry Into Active Duty"^^xsd:string ;
    rdfs:range xsd:string ;
    hrma:definition "Place Of Entry Into Active Duty is the
address at which the member was residing immediately prior to
reporting for active duty."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:reportsToOrganization
    rdf:type owl:ObjectProperty ;
    rdfs:domain
<http://www.prim.osd.mil/ont/HRM_Role#Performer> ;
    rdfs:label "reports To Organization"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Role#FormalOrganization> .

hrm-person:selectiveServiceClassificationType
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Selective Service Classification
Type"^^xsd:string ;
    rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Selective_Service_Cl
assification_Type_Value> ;
    hrma:citation "CHRIS924"^^xsd:string ;
    hrma:definition "Selective Service Classification Type is
the determination of a person's availability, deferment or
exemption of required enrollment in the Military
Service."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:selectiveServiceClassificationTypeCode
    rdf:type owl:DatatypeProperty ;
    rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
    rdfs:label "Selective Service Classification Type

```

```

Code^^xsd:string ;
  rdfs:range
<http://www.prim.osd.mil/ont/HRM_Data_Values#Selective_Service_Classification_Type_Code_Value> ;
  hrma:citation "CHRIS924"^^xsd:string ;
  hrma:definition "Selective Service Classification Type is the determination of a person's availability, deferment or exemption of required enrollment in the Military Service."^^xsd:string ;
  hrma:piiIndicator "false"^^xsd:boolean .

```

```

hrm-person:sequenceIdentifier
  rdf:type owl:DatatypeProperty ;
  rdfs:domain owl:Thing ;
  rdfs:label "Sequence ID"^^xsd:string ;
  rdfs:range xsd:integer ;
  hrma:citation "NIEM Core v3.0"^^xsd:string ;
  hrma:definition "Sequence ID is a numeric identifier that explicitly sequences or orders elements."^^xsd:string ;
  hrma:neimMappingIndicator
    "Partial"^^xsd:string ;
  hrma:niemLabel "nc:sequenceID"^^xsd:string .

```

```

hrm-person:socialSecurityNumber
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Social Security Number"^^xsd:string ;
  rdfs:range xsd:string ;
  hrma:citation "CHRIS246"^^xsd:string ;
  hrma:definition "Social Security Number is a unique number assigned by the Social Security Administration (SSA) to identify a person when reporting wages, paying taxes and collecting benefits."^^xsd:string ;
  hrma:neimMappingIndicator
    "Partial"^^xsd:string ;
  hrma:niemLabel "nc:PersonSSNIdentification"^^xsd:string ;
  hrma:piiIndicator "true"^^xsd:boolean .

```

```

hrm-person:ssn
  rdf:type owl:DatatypeProperty ;
  rdfs:domain <http://www.prim.osd.mil/ont/HRM_Role#Person> ;
  rdfs:label "Social Security Number"^^xsd:string ;
  rdfs:range xsd:string ;
  hrma:citation "CHRIS246"^^xsd:string ;
  hrma:definition "Social Security Number is a unique number assigned by the Social Security Administration (SSA) to identify a person when reporting wages, paying taxes and collecting benefits."^^xsd:string ;
  hrma:neimMappingIndicator
    "Partial"^^xsd:string ;
  hrma:niemLabel "nc:PersonSSNIdentification"^^xsd:string ;
  hrma:piiIndicator "true"^^xsd:boolean ;

```

```

owl:equivalentProperty
    hrm-person:socialSecurityNumber .

hrm-person:totalPriorActiveMilitaryServiceDuration
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Total Prior Active Military Service
Duration"^^xsd:string ;
    rdfs:range xsd:duration ;
    hrma:citation "10 USC 101(d) (3)"^^xsd:string ;
    hrma:definition "Total Prior Active Military Service
Duration captures the duration of the total creditable active
Service of the DoD Military Service member prior to the current
period of active Service."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .

hrm-person:totalPriorInactiveMilitaryServiceDuration
    rdf:type owl:DatatypeProperty ;
    rdfs:domain hrm-person:ActiveDutyPeriod ;
    rdfs:label "Total Prior Inactive Military Service
Duration"^^xsd:string ;
    rdfs:range xsd:duration ;
    hrma:definition "Total Prior Inactive Military Service
Duration captures the duration of the total creditable inactive
Service of the DoD Military Service member prior to the current
period of active Service."^^xsd:string ;
    hrma:piiIndicator "false"^^xsd:boolean .

<http://www.prim.osd.mil/ont/HRM_Role#ArmedForcesBranch>
    hrma:neimMappingIndicator
        "Partial"^^xsd:string .

<http://www.prim.osd.mil/ont/HRM_Role#DependentRoleConcept>
    hrma:definition "Dependent Role Concept describes the role
in which a person is financially reliant upon another person,
frequently a family member."^^xsd:string .

<http://www.prim.osd.mil/ont/HRM_Role#uniformedServiceComponentType>
    rdfs:domain owl:Thing .

```